

Effect of alkan-1-ols on the structure of DOPC model membrane

T. Kondela¹, J. Gallová¹, T. Hauss², N. Kučerka^{1,3}, O.I. Ivankov^{3,4,5}, P. Balgavy¹

¹Department of Physical Chemistry of Drugs, Faculty of Pharmacy, Comenius University, Bratislava, Slovakia

²Helmholtz Zentrum Berlin für Materialien und Energie, Berlin, Germany

³Frank Laboratory of Neutron Physics, Joint Institute for Nuclear Research, Dubna, Russia

⁴Moscow Institute of Physics and Technology, MIPT, Dolgoprudny, Russia

⁵Institute for Safety Problems of Nuclear Power Plants, NAS Ukraine, Kiev, Ukraine

kondela@fpharm.uniba.sk

We studied the effect of general anesthetics alkan-1-ols (C_nOH, where n=10, 12, 14, 16 and 18 is the number of carbon atoms in molecule) on the structure of a model membrane system by small-angle neutron scattering (SANS) and diffraction (SAND). Extruded unilamellar liposomes for SANS measurements were prepared in excess of 100 % D₂O at the C_nOH:DOPC=0.3 molar ratio. The data were evaluated by the Kratky-Porod plot $\ln[I(Q)Q^2]$ vs. Q^2 in the range of scattering vector Q corresponding to interval $0.001 \text{ \AA}^{-2} \leq Q^2 \leq 0.006 \text{ \AA}^{-2}$. The value of bilayer thickness parameter d_g has shown the trend in which the shorter alcohols (n=10, 12) decreased the thickness of DOPC bilayers while the longer ones (n=16) caused its increase. The results were corroborated with SAND measurements performed on the aligned multilayers that were utilized to eliminate the effect of bilayer curvature. Hydrated aligned fluid bilayers were prepared again from dioleoylphosphatidylcholine (DOPC) and samples at C_nOH:DOPC=0.3 molar ratio were deposited on quartz plates by a „rock and roll method“. The samples were used for measurements at slightly dehydrated conditions (rel. humidity 98%, contrasts 8% , 20% and 50% D₂O) for improving the resolution of obtained results. From the scattering length density profile we found the similar trend to that of SANS results. Our results support the notion of the importance of lipid bilayer thickness and the possible mechanism of its modulation by the other membrane components, while this is unaffected by the bilayer geometry nor its hydration level.

Acknowledgement: This work was supported by VEGA grants 1/0534/15, 1/0916/16, Dubna JINR 04-4-1121-2015/2017 project and European Commission under the 7th Framework Programme through the 'Research Infrastructure' action of the 'Capacities' Programme, NMI3-II Grant number 283883.